



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/554,034

08/08/2006

Werner Agne

2002P15569WOUS

7805

22116

7590

08/10/2009

SIEMENS CORPORATION  
INTELLECTUAL PROPERTY DEPARTMENT  
170 WOOD AVENUE SOUTH  
ISELIN, NJ 08830

EXAMINER

YAN, REN LUO

ART UNIT

PAPER NUMBER

2854

MAIL DATE

DELIVERY MODE

08/10/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/554,034	<b>Applicant(s)</b> AGNE ET AL.	
	<b>Examiner</b> Ren L. Yan	<b>Art Unit</b> 2854	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 April 2009.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 11,12,15,16,18,22,23,29 and 30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 11,12,15,16,18,22,23,29 and 30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>4-15-2009</u> .   | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

In view of the amendment and arguments presented in applicant's response filed on 4-14-2009, the previous Office action dated 3-10-2009 is hereby withdrawn and a new ground of rejections is set forth below:

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kot (Patent No.: US 7131379).

With respect to Claim 31, Kot disclosed in Figs 1 and 2 and column 4 lines 17 - 26: a printing press, comprising:

a print unit (3 – 7 and the image field including 8 and 9 in column 3 lines 57 - 58);

a drive unit (10 – 11) assigned to the print unit (3 – 7), wherein the drive unit comprises an inherent motor and a power converter for processing a control signal coming from a control unit 12,

the control unit (12) for regulating the drive unit (10 – 11), wherein the control unit comprising an integrated evaluation unit (18); and

a print mark measuring device and/or register mark measuring device and/or a register measuring device (13 wherein 13 registers all the image field in column 4 lines 13 - 14), wherein

Art Unit: 2854

the print mark measuring device and/or the register mark measuring device and/or the register measuring device (13) are directly connected to the control unit (12).

Kot may not teach that the drive unit(10-11) and the control unit (12) are integrated.

It has been held by the Court that simply making separate parts integral would only amount to a matter of obvious engineering choice that would have been obvious to those skilled in the art. In re Larson, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965) (A claim to a fluid transporting vehicle was rejected as obvious over a prior art reference which differed from the prior art in claiming a brake drum integral with a clamping means, whereas the brake disc and clamp of the prior art comprise several parts rigidly secured together as a single unit. The court affirmed the rejection holding, among other reasons, “that the use of a one piece construction instead of the structure disclosed in [the prior art] would be merely a matter of obvious engineering choice.”) In the present application, since Kot teaches all of the required structural elements of the claimed invention, to merely make two of the structural elements integral without changing the functionality of these structural elements, separately or in whole, would have been obvious to those skilled in the art.

Claims 32 - 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kot as applied to claim 31 above, and further in view of Tokiwa (Patent No. : US 6626102).

With respect to Claim 32, Kot teaches all that is claimed except for the calculation of a correction factor by the control unit to regulate the movement of the drive unit.

Art Unit: 2854

However Tokiwa discloses (Fig. 3 and column 16 lines 5 – 24): a correction factor  $((Y_n + Y_4 - Y_3))$  proportional in line 7) is calculated (line 6) by the control unit (3) to regulate the movement (line 15) of the drive unit (41).

It would have been obvious to a person of ordinary skill in the art at the time of invention was made to modify Kot's printing press by including the calculation of a correction factor in the control unit as taught by Tokiwa so as to predictably result in increasing the accuracy and speed in controlling the drive unit.

With respect to Claim 33, the combination also meets the limitations of Claims 33 except the print mark measuring device and/or the register mark measuring device and/or the register measuring device are connected to the control unit by a field bus system or a serial link.

However Tokiwa also discloses (column 1 lines 51 – 54): a field bus system (line 53) is used to connect the various components in the printing press.

It would have been obvious to a person of ordinary skill in the art at the time of invention was made to modify the combination of Kot's printing press by including the field bus system for connection in the printing press as also taught by Tokiwa for the purpose of increasing the accuracy and speed in the connection of the measuring device and the control unit.

With respect to Claim 34, the combination teaches the limitations of Claim 34 for the reason above except the control unit has a master functionality with regard to further drive units or with regard to further control units.

However Tokiwa discloses in Fig. 3 and column 7 lines 30 - 39: the control unit has a master functionality (1) with regard to further drive units or with regard to further control units (via the network line 5).

Art Unit: 2854

It would have been obvious to a person of ordinary skill in the art at the time of invention was made to modify the combination of Kot's printing press by including the master section as also taught by Tokiwa for the purpose of synchronously controlling the printing registration to improve printing quality.

Claims 11 – 12 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kot in view of DE 19723059.

With respect to Claim 11, Kot disclosed in Figs 1 and 2 and column 4 lines 17 - 26:

a printing press, comprising:

a print unit (3 – 7 and the image field including 8 and 9 in column 3 lines 57 - 58);

a drive unit (10 – 11) assigned to the print unit (3 – 7);

a control unit (19) for regulating the drive unit (10 – 11); and

a print mark measuring device and/or register mark measuring device and/or a register measuring device (13 wherein 13 registers all the image field in column 4 lines 13 - 14), wherein

the print mark measuring device and/or the register mark measuring device and/or the register measuring device (13) are directly connected to the control unit (12).

Kot does not teach the print mark measuring device and/or the register mark measuring device and/or the register measuring device comprises an evaluation unit.

However, as discussed in pages 1 and 2 of the present specification, DE 19723059 disclose in a printing press with color register control wherein the register marks printed on the track are picked up by sensors and evaluated in a measurement head of the sensors.

Art Unit: 2854

Therefore it would have been obvious to a person of ordinary skill in the art at the time of invention was made to modify the printing press of Kot by including the evaluation unit in the measuring device as taught by DE 19723059 so as to predictably evaluate the register marks before sending the signals to the control unit thus speeding up printing registration control process.

With respect to Claim 12, the modification/combination meets all the limitations of Claim 12 (Figs 1 and 2 and column 4 lines 17 – 26 of Kot):

the printing press, wherein the print mark measuring device and/or the register mark measuring device and/or the register measuring device (13 modified by Darby et al.) are connected by a means for signal transmission (arrow from 13 to 18) to the control unit (12).

With respect to Claim 29, Kot teaches (Figs 1 and 2 and column 4 lines 17 – 26 of Kot):

a method for operation of a printing press, the printing press comprising:

providing a print unit (3 – 7 and the image field including 8 and 9 in column 3 lines 57 - 58);

providing a drive unit (10 – 11) assigned to the print unit (3 – 7);

providing a control unit (12) for regulating the drive unit (10 – 11); and

providing a print mark measuring device and/or register mark measuring device and/or a register measuring device (13) wherein the print mark measuring device and/or the register mark measuring device and/or the register measuring device (13) are directly connected to the control unit (12); and

Art Unit: 2854

transmitting (the comparison signals from 18 are used in 19 in line 25) a print mark (9) signal and/or the register mark (9) signal from the print mark measuring device and/or the register mark measuring device (13 wherein 13 registers all the image field in column 4 lines 13 - 14) to the control unit (12), or

transmitting (the comparison signals from 18 are used in 19 in line 25) a register measuring (8) signal from the register measuring device (13) to the control unit (12).

Kot does not teach the print mark measuring device and/or the register mark measuring device and/or the register measuring device comprises an evaluation unit.

However, as discussed in pages 1 and 2 of the present specification, DE 19723059 disclose in a printing press with color register control wherein the register marks printed on the track are picked up by sensors and evaluated in a measurement head of the sensors.

Therefore it would have been obvious to a person of ordinary skill in the art at the time of invention was made to modify the printing press of Kot by including the evaluation unit in the measuring device as taught by DE 19723059 so as to predictably evaluate the register marks before sending the signals to the control unit thus speeding up printing registration control process.

Claims 15 – 16, 18, 22 – 23, and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kot in view of DE 19723059 as applied to claims 11, 12 and 29 above, and further in view of Tokiwa.



Art Unit: 2854

With respect to Claims 15 - 16, Kot, as modified by DE 19723059 teaches all as claimed except for the calculation of a correction factor by the control unit to regulate the movement of the drive unit.

However Tokiwa discloses (Fig. 3 and column 16 lines 5 – 24): a correction factor  $((Y_n + Y_4 - Y_3))$  proportional in line 7) is (can be) calculated (line 6) by the control unit (3) to regulate the movement (line 15) of the drive unit (41).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of invention was made to further modify the printing press of Kot and DE 19723059 by including the calculation of a correction factor in the control unit as taught by Tokiwa for the purpose of increasing the accuracy and speed in controlling the drive unit.

With respect to Claim 18, Kot, as modified by DE 19723059 teaches all that is claimed except for the print mark measuring device and/or the register mark measuring device and/or the register measuring device being connected to the control unit by a field bus system or a serial link.

However Tokiwa also discloses (column 1 lines 51 – 54): a field bus system (line 53) is used to connect the components in the printing press.

Therefore it would have been obvious to a person of ordinary skill in the art at the time of invention was made to further modify the printing press of Kot and Darby et al. by including the field bus system for connection in the printing press as also taught by Tokiwa for the purpose of increasing the accuracy and speed in the connection of the measuring device and the control unit.

Art Unit: 2854

With respect to Claims 22, the applied prior art also meets the limitations of Claims 22 (column 1 lines 51 – 54 of Tokiwa): a field bus system (line 53) or a serial link is provided as means for signal transmission (receive in line 52).

With respect to Claim 23, the applied prior art teaches the limitations of Claim 23 for the reason above except for the control unit has a master functionality with regard to further drive units or with regard to further control units.

However Tokiwa discloses in Fig. 3 and column 7 lines 30 - 39: the control unit has a master functionality (1) with regard to further drive units or with regard to further control units (via the network line 5).

Therefore it would have been obvious to a person of ordinary skill in the art at the time of invention was made to further modify the combination of Kot and DE 19723059 by including the master section as also taught by Tokiwa for the purpose of synchronously controlling the printing registration to improve printing quality.

With respect to Claim 30, the applied prior art meets all the limitations of Claim 30 (Fig. 3 and column 16 lines 5 – 24 of Tokiwa): the method wherein a correction factor  $((Y_n + Y_4 - Y_3))$  proportional in line 7) for regulating the movement (line 15) of at least one drive unit (41) is calculated (line 6) by the control unit (3) from the print mark signal or from the register mark signal or from the register measuring signal (line 6).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ren L. Yan whose telephone number is 571-272-2173. The examiner can normally be reached on 8:30am-5:00pm.

Art Unit: 2854

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on 571-272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ren L Yan/  
Primary Examiner, Art Unit 2854  
August 7, 2009